



ELSEVIER

Chemical Physics 211 (1996) 517-521

Chemical
Physics

Author index to volume 211


- Adrian, F.J., Spin-orbit effects in fullerenes 211 (1996) 73
Alikacem, A., see Boudjarane, K. 211 (1996) 393
Amaya-Tapia, A., see Martinez, H. 211 (1996) 299
- Bauschlicher Jr., C.W., The dissociation energies of FeF, FeCl, and FeBr and their positive ions 211 (1996) 163
Bessis, D., see Felfli, Z. 211 (1996) 325
Blake, A.J., see Jones, A.L. 211 (1996) 291
Bolvin, H., The Neel point for spin-transition systems: toward a two-step transition 211 (1996) 101
Boudjarane, K., A. Alikacem and M. Larzillière, Fast-ion beam laser spectroscopy of $^{14}\text{N}_2^+$ and $^{15}\text{N}_2^+$: high-resolution study of the (1, 2) band of the $\text{B}^2\Sigma_u^+ - \text{X}^2\Sigma_g^+$ system 211 (1996) 393
Brazgun, F.F., V.A. Nadochenko, I.V. Rubtsov and L.V. Lukin, Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique 211 (1996) 469
Broo, A. and A. Holmén, Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives 211 (1996) 147
- Castellano, E., see Croce, A.E. 211 (1996) 215
Chapo, C., see Szczepanski, J. 211 (1996) 359
Clogston, A.M., see McDowell, H.K. 211 (1996) 91
Cobos, C.J., see Croce, A.E. 211 (1996) 215
Croce, A.E., C.J. Cobos and E. Castellano, Experimental and theoretical study of the recombination reaction of FC(O)O radicals 211 (1996) 215
Crocì, M., see Güttler, F. 211 (1996) 421
- Das, P.K., see Ray, P.C. 211 (1996) 499
Dickinson, A.S., see Viehland, L.A. 211 (1996) 1
Donaldson, D.J., see Randall, K.L. 211 (1996) 377
Drobizhev, M.A., M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky, Relaxation and trapping of excitons in J-aggregates of a thiacyanocarbonyl dye 211 (1996) 455
- Ekern, S., see Szczepanski, J. 211 (1996) 359
Esmond, J.R., see Yoshino, K. 211 (1996) 387
- Felfli, Z., I. Fomunung, D. Bessis and A.Z. Msezane, Generalized oscillator strengths for SF_6 in the S 2p inner-shell region 211 (1996) 325
Fomunung, I., see Felfli, Z. 211 (1996) 325

- Gianturco, F.A., S. Kumar and F. Schneider, Correlated electronic potential-energy surfaces for proton interactions with N_2 211 (1996) 33
- Glasbeek, M., see Middelhoek, E.R. 211 (1996) 489
- Gordillo, M.C. and C.P. Herrero, Al,Si ordering in chabazites: A Monte Carlo study 211 (1996) 81
- Güttler, F., M. Croci, A. Renn and U.P. Wild, Single molecule polarization spectroscopy: pentacene in p-terphenyl 211 (1996) 421
- Hall, G.E., see North, S.W. 211 (1996) 515
- Hamada, T., Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2 , C_6H_6 and CS_2 molecules 211 (1996) 171
- Harryvan, D.H., see Muller, J.M. 211 (1996) 413
- Herrero, C.P., see Gordillo, M.C. 211 (1996) 81
- Holmén, A., see Broo, A. 211 (1996) 147
- Hubinger, S., see Nee, J.B. 211 (1996) 403
- Hughes, J.M. and E.I. von Nagy-Felsobuki, Ab initio calculations of the rovibrational states of He_2N^{2+} 211 (1996) 135
- Il'ichev, Yu.V., W. Kühnle and K.A. Zachariasse, Photophysics of 4-dimethylamino-4'-cyanostilbene and 4-azetidiny1-4'-cyanostilbene. Time-resolved fluorescence and trans-cis photoisomerisation 211 (1996) 441
- Ito, K., see Yoshino, K. 211 (1996) 387
- Jiang, K., see Zheng, H. 211 (1996) 507
- Jones, A.L., A.J. Blake, L. Torop and D.G. McCoy, An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region 211 (1996) 291
- Jørgensen, J.S., J.B. Pedersen and A.I. Shushin, Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation 211 (1996) 235
- Jovanovic-Kurepa, J., D.D. Markusev and M. Terzic, Multiple absorption and relaxation processes in SF_6-CH_4 mixtures: an experimental study 211 (1996) 347
- Kerdcharoen, T., K.R. Liedl and B.M. Rode, A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia 211 (1996) 313
- Koper, M.T.M. and W. Schmickler, A Kramers reaction rate theory for electrochemical ion transfer reactions 211 (1996) 123
- Koperski, J., Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra 211 (1996) 191
- Kühnle, W., see Il'ichev, Yu.V. 211 (1996) 441
- Kumar, S., see Gianturco, F.A. 211 (1996) 33
- Larzillière, M., see Boudjarane, K. 211 (1996) 393
- Legay, F., see Legay-Sommaire, N. 211 (1996) 367
- Legay-Sommaire, N. and F. Legay, Isotope effects in the photochemical formation of $HHgCH_3$ and $DHgCD_3$ in nitrogen and methane matrices 211 (1996) 367
- Li, M.-M., see Ong, P.P. 211 (1996) 115
- Liedl, K.R., see Kerdcharoen, T. 211 (1996) 313
- Lukin, L.V., see Brazgun, F.F. 211 (1996) 469

- MacLagan, R.G.A.R., see Viehland, L.A. 211 (1996) 1
- Marković, N., T.D. Sewell, S. Nordholm and A. Miklavc, An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to He + CO ($n_i = 1, 2$) 211 (1996) 277
- Markusev, D.D., see Jovanovic-Kurepa, J. 211 (1996) 347
- Martinez, H. and A. Amaya-Tapia, Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He 211 (1996) 299
- Matsui, T., see Yoshino, K. 211 (1996) 387
- Matyushov, D.V., Solvent reorganization energy of electron transfer in weakly polar solvents 211 (1996) 47
- McCoy, D.G., see Jones, A.L. 211 (1996) 291
- McDowell, H.K. and A.M. Clogston, Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory 211 (1996) 91
- Middelhoek, E.R., H. Zhang, J.W. Verhoeven and M. Glasbeek, Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution 211 (1996) 489
- Miklavc, A., see Marković, N. 211 (1996) 277
- Monnerville, M. and J.-M. Robbe, Optical potential discrete variable representation method applied to the three-dimensional calculations of $NeCl$ predissociation resonances 211 (1996) 249
- Msezane, A.Z., see Felfli, Z. 211 (1996) 325
- Muller, J.M., D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen, The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film 211 (1996) 413
- Munichandraiah, N., see Ray, P.C. 211 (1996) 499
- Nadtochenko, V.A., see Brazgun, F.F. 211 (1996) 469
- Nee, J.B. and S. Hubinger, Pressure effects on the $Cl_2(D'-A')$ transition at 258 nm 211 (1996) 403
- Nordholm, S., see Marković, N. 211 (1996) 277
- North, S.W., T.J. Sears, G.E. Hall and T. Suzuki, Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm" 211 (1996) 515
- Novoderezhkin, V.I. and A.P. Razjivin, The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria 211 (1996) 203
- Ong, P.P. and M.-M. Li, Monte Carlo simulation studies on the validity of the Gram-Charlier calculations of velocity distributions of Na^+ swarm in neon gas 211 (1996) 115
- Parkinson, W.H., see Yoshino, K. 211 (1996) 387
- Parson, R.P., see Peng, G.S. 211 (1996) 17
- Pedersen, J.B., see Jørgensen, J.S. 211 (1996) 235
- Peng, G.S. and R.P. Parson, Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical 211 (1996) 17
- Penzkofer, A., see Reindl, S. 211 (1996) 431
- Randall, K.L. and D.J. Donaldson, Photophysics and photochemistry of I_2 (D, D') in rare gas clusters 211 (1996) 377
- Ray, P.C., N. Munichandraiah and P.K. Das, Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques 211 (1996) 499

- Razjivin, A.P., see Novoderezhkin, V.I. 211 (1996) 203
- Reindl, S. and A. Penzkofer, Higher excited-state triplet-singlet intersystem crossing of some organic dyes 211 (1996) 431
- Renn, A., see Glüttler, F. 211 (1996) 421
- Robbe, J.-M., see Monnerville, M. 211 (1996) 249
- Rode, B.M., see Kerdcharoen, T. 211 (1996) 313
- Røeggen, I., see Wind, P. 211 (1996) 179
- Rubtsov, I.V., see Brazgun, F.F. 211 (1996) 469
- Saalfrank, P., Stochastic wave packet vs. direct density matrix solution of Liouville-von Neumann equations for photodesorption problems 211 (1996) 265
- Sapozhnikov, M.N., see Drobizhev, M.A. 211 (1996) 455
- Scheblykin, I.G., see Drobizhev, M.A. 211 (1996) 455
- Schmickler, W., see Koper, M.T.M. 211 (1996) 123
- Schneider, F., see Gianturco, F.A. 211 (1996) 33
- Sears, T.J., see North, S.W. 211 (1996) 515
- Sewell, T.D., see Marković, N. 211 (1996) 277
- Shi, Y.Y., see Wan, S.Z. 211 (1996) 227
- Shushin, A.I., see Jørgensen, J.S. 211 (1996) 235
- Suzuki, T., see North, S.W. 211 (1996) 515
- Szczepanski, J., S. Ekern, C. Chapo and M. Vala, Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9 211 (1996) 359
- Tachikawa, H., Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies 211 (1996) 305
- Taroni, R. and C. Zannoni, Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal 211 (1996) 337
- Terzic, M., see Jovanovic-Kurepa, J. 211 (1996) 347
- Torop, L., see Jones, A.L. 211 (1996) 291
- Vala, M., see Szczepanski, J. 211 (1996) 359
- Van der Auweraer, M., see Drobizhev, M.A. 211 (1996) 455
- van Faassen, E.E., see Muller, J.M. 211 (1996) 413
- van Ginkel, G., see Muller, J.M. 211 (1996) 413
- Varnavsky, O.P., see Drobizhev, M.A. 211 (1996) 455
- Verhagen, J.C.D., see Muller, J.M. 211 (1996) 413
- Verhoeven, J.W., see Middelhoek, E.R. 211 (1996) 489
- Viehland, L.A., A.S. Dickinson and R.G.A.R. MacLagan, Transport coefficients for NO^+ ions in helium gas: a test of the NO^+-He interaction potential 211 (1996) 1
- Vitukhnovsky, A.G., see Drobizhev, M.A. 211 (1996) 455
- von Nagy-Felsobuki, E.I., see Hughes, J.M. 211 (1996) 135
- Wan, S.Z., C.X. Wang, Y.W. Xu and Y.Y. Shi, Molecular dynamics simulations of cis-trans isomerization for a proline-containing tripeptide in solution 211 (1996) 227
- Wang, C.X., see Wan, S.Z. 211 (1996) 227
- Wang, J., see Zheng, H. 211 (1996) 507
- Wild, U.P., see Glüttler, F. 211 (1996) 421
- Wind, P. and I. Røeggen, Ab initio calculation of three-body interaction in the $(H_2)_3$ trimer 211 (1996) 179

- Xu, Y.W., see Wan, S.Z. 211 (1996) 227
- Yoshino, K., J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui, Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm 211 (1996) 387
- Zachariasse, K.A., see Il'ichev, Yu.V. 211 (1996) 441
- Zannoni, C., see Tarroni, R. 211 (1996) 337
- Zhang, H., see Middelhoeck, E.R. 211 (1996) 489
- Zhang, Q., see Zheng, H. 211 (1996) 507
- Zheng, H., K. Jiang, Q. Zhang and J. Wang, Solvent effects on sol-gel transition of alginate solutions by addition of cupric ions 211 (1996) 507



Subject index to volume 211

Methods

Theoretical

Classical mechanics

- Transport coefficients for NO^+ ions in helium gas: a test of the NO^+ –He interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. MacLagan 211 (1996) 1
- Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17

Many body and quasiparticle approaches

- Correlated electronic potential-energy surfaces for proton interactions with N_2 , F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33

Coupling schemes and perturbative treatments

- Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
- Spin-orbit effects in fullerenes, F.J. Adrian 211 (1996) 73

Equilibrium statistical mechanics

- Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
- Al,Si ordering in chabazites: A Monte Carlo study, M.C. Gordillo and C.P. Herrero 211 (1996) 81
- Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory, H.K. McDowell and A.M. Clogston 211 (1996) 91

Statistical mechanics of stationary states

- The Neel point for spin-transition systems: toward a two-step transition, H. Bolvin 211 (1996) 101

Non-equilibrium thermodynamic and hydrodynamic theories

- Monte Carlo simulation studies on the validity of the Gram–Charlier calculations of velocity distributions of Na^+ swarm in neon gas, P.P. Ong and M.-M. Li 211 (1996) 115
- A Kramers reaction rate theory for electrochemical ion transfer reactions, M.T.M. Koper and W. Schmickler 211 (1996) 123

Ab initio schemes for stationary properties

- Correlated electronic potential-energy surfaces for proton interactions with N_2 , F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33

- Ab initio calculations of the rovibrational states of He_2N^{2+} , J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
- Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives, A. Broo and A. Holmén 211 (1996) 147
- The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163
- Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2 , C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
- Ab initio calculation of three-body interaction in the $(\text{H}_2)_3$ trimer, P. Wind and I. Røeggen 211 (1996) 179
- Computational and simulation methods*
- Transport coefficients for NO^+ ions in helium gas: a test of the $\text{NO}^+\text{-He}$ interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. MacLagan 211 (1996) 1
- Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17
- Al,Si ordering in chabazites: A Monte Carlo study, M.C. Gordillo and C.P. Herrero 211 (1996) 81
- Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory, H.K. McDowell and A.M. Clogston 211 (1996) 91
- The Neel point for spin-transition systems: toward a two-step transition, H. Bolvin 211 (1996) 101
- Potential energy curve of the $\text{XO}^+(^1\Sigma^+)$ ground state of HgAr determined from $\text{AO}^+(^3\Pi) \rightarrow \text{XO}^+$ and $\text{BI}(^3\Sigma^+) \rightarrow \text{XO}^+$ fluorescence spectra, J. Koperski 211 (1996) 191
- The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
- Experimental and theoretical study of the recombination reaction of FC(O)O radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
- Molecular dynamics simulations of cis-trans isomerization for a proline-containing tripeptide in solution, S.Z. Wan, C.X. Wang, Y.W. Xu and Y.Y. Shi 211 (1996) 227
- Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation, J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 211 (1996) 235
- Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249
- Stochastic wave packet vs. direct density matrix solution of Liouville-von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265
- An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to $\text{He} + \text{CO}$ ($n_i = 1, 2$), N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 211 (1996) 277
- Molecular dynamics and scattering theory*
- Spin-orbit effects in fullerenes, F.J. Adrian 211 (1996) 73
- Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249
- Stochastic wave packet vs. direct density matrix solution of Liouville-von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265
- An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to $\text{He} + \text{CO}$ ($n_i = 1, 2$), N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 211 (1996) 277
- An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291

- Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He, H. Martinez and A. Amaya-Tapia 211 (1996) 299
- Dynamics of the vibrational mode-specific proton transfer reaction $\text{NH}_3^+(\nu_1) + \text{NH}_3 \rightarrow \text{NH}_2 + \text{NH}_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
- A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia, T. Kerdcharoen, K.R. Liedl and B.M. Rode 211 (1996) 313
- Generalized oscillator strengths for SF_6 in the S 2p inner-shell region, Z. Felfli, I. Fomunung, D. Bessis and A.Z. Msezane 211 (1996) 325

Experimental

Magnetic resonances

- Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal, R. Tarroni and C. Zannoni 211 (1996) 337

Infrared spectroscopy

- Ab initio calculations of the rovibrational states of He_2N^{2+} , J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
- Multiple absorption and relaxation processes in $\text{SF}_6\text{-CH}_4$ mixtures: an experimental study, J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 211 (1996) 347
- Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9 , J. Szczepanski, S. Ekern, C. Chapo and M. Vala 211 (1996) 359
- Isotope effects in the photochemical formation of HHgCH_3 and DHgCD_3 in nitrogen and methane matrices, N. Legay-Sommaire and F. Legay 211 (1996) 367

Visible and UV spectroscopy

- Potential energy curve of the $\text{XO}^+(^1\Sigma^+)$ ground state of HgAr determined from $\text{AO}^+(^3\Pi) \rightarrow \text{XO}^+$ and $\text{B1}(^3\Sigma^+) \rightarrow \text{XO}^+$ fluorescence spectra, J. Koperski 211 (1996) 191
- An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291
- Photophysics and photochemistry of I_2 (D , D') in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377
- Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm, K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 211 (1996) 387
- Fast-ion beam laser spectroscopy of $^{14}\text{N}_2^+$ and $^{15}\text{N}_2^+$: high-resolution study of the (1, 2) band of the $\text{B } ^2\Sigma_u^+ - \text{X } ^2\Sigma_g^+$ system, K. Boudjarane, A. Alikacem and M. Larzillière 211 (1996) 393
- Pressure effects on the $\text{Cl}_2(\text{D}'-\text{A}')$ transition at 258 nm, J.B. Nee and S. Hubinger 211 (1996) 403
- The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413

Fluorescence spectroscopy

- Pressure effects on the $\text{Cl}_2(\text{D}'-\text{A}')$ transition at 258 nm, J.B. Nee and S. Hubinger 211 (1996) 403
- The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413
- Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

- Higher excited-state triplet-singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431
- Photophysics of 4-dimethylamino-4'-cyanostilbene and 4-azetidiny-4'-cyanostilbene. Time-resolved fluorescence and trans-cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441
- Laser methods*
- Relaxation and trapping of excitons in J-aggregates of a thiacyanocarbocyanine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455
- Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469
- Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515
- Picosecond spectroscopy*
- The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
- Higher excited-state triplet-singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431
- Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489
- Non-linear optical spectroscopy*
- Higher excited-state triplet-singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431
- Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandraiah and P.K. Das 211 (1996) 499
- Optoacoustic spectroscopy*
- Multiple absorption and relaxation processes in SF₆-CH₄ mixtures: an experimental study, J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 211 (1996) 347
- Time-resolved experiments*
- Experimental and theoretical study of the recombination reaction of FC(O)O radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
- Photophysics of 4-dimethylamino-4'-cyanostilbene and 4-azetidiny-4'-cyanostilbene. Time-resolved fluorescence and trans-cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441
- Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469
- Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489

Mass spectrometry

- Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He, H. Martinez and A. Amaya-Tapia 211 (1996) 299
- Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515

Measurement of macroscopic variables

- Solvent effects on sol-gel transition of alginate solutions by addition of cupric ions, H. Zheng, K. Jiang, Q. Zhang and J. Wang 211 (1996) 507

Objects**Bulk systems***Gases*

- Transport coefficients for NO^+ ions in helium gas: a test of the NO^+-He interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. MacLagan 211 (1996) 1
- Correlated electronic potential-energy surfaces for proton interactions with N_2 , F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33
- Optical potential discrete variable representation method applied to the three-dimensional calculations of $NeCl$ predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249
- An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291
- Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
- Multiple absorption and relaxation processes in SF_6-CH_4 mixtures: an experimental study, J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 211 (1996) 347
- Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm, K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 211 (1996) 387
- Fast-ion beam laser spectroscopy of $^{14}N_2^+$ and $^{15}N_2^+$: high-resolution study of the (1, 2) band of the $B^2\Sigma_u^+ - X^2\Sigma_g^+$ system, K. Boudjarane, A. Alikacem and M. Larzillière 211 (1996) 393

Supersonic beams

- Ab initio calculations of the rovibrational states of He_2N^{2+} , J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
- Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of $HgAr$ determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra, J. Koperski 211 (1996) 191

Liquids neat

- Photophysics of 4-dimethylamino-4'-cyanostilbene and 4-azetidiny-4'-cyanostilbene. Time-resolved fluorescence and trans-cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441

Liquid mixtures and solutions

- Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
- A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia, T. Kerdcharoen, K.R. Liedl and B.M. Rode 211 (1996) 313

- Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoeck, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489
- Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandiah and P.K. Das 211 (1996) 499
- Crystals*
- Al,Si ordering in chabazites: A Monte Carlo study, M.C. Gordillo and C.P. Herrero 211 (1996) 81
- Stochastic wave packet vs. direct density matrix solution of Liouville-von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265
- mixed*
- Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421
- Liquid crystals*
- Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal, R. Tarroni and C. Zannoni 211 (1996) 337
- Thin films*
- The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413
- Low-dimensional materials*
- Relaxation and trapping of excitons in J-aggregates of a thiocarbocynine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455
- Plasmas*
- Monte Carlo simulation studies on the validity of the Gram-Charlier calculations of velocity distributions of Na^+ swarm in neon gas, P.P. Ong and M.-M. Li 211 (1996) 115
- Biological systems*
- Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives, A. Broo and A. Holmén 211 (1996) 147
- The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
- Molecular dynamics simulations of cis-trans isomerization for a proline-containing tripeptide in solution, S.Z. Wan, C.X. Wang, Y.W. Xu and Y.Y. Shi 211 (1996) 227
- Solvent effects on sol-gel transition of alginate solutions by addition of cupric ions, H. Zheng, K. Jiang, Q. Zhang and J. Wang 211 (1996) 507
- Microscopic systems*
- Molecules (neutral and ionic)*
- Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation, J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 211 (1996) 235

- Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He, H. Martinez and A. Amaya-Tapia 211 (1996) 299
- Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
- Generalized oscillator strengths for SF_6 in the S 2p inner-shell region, Z. Felfli, I. Fomunung, D. Bessis and A.Z. Msezane 211 (1996) 325
- Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandrahiah and P.K. Das 211 (1996) 499
- diatomic*
- The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163
- Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2 , C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
- An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291
- Photophysics and photochemistry of I_2 (D, D') in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377
- Fast-ion beam laser spectroscopy of $^{14}N_2^+$ and $^{15}N_2^+$: high-resolution study of the (1, 2) band of the $B^2\Sigma_u^+ - X^2\Sigma_g^+$ system, K. Boudjarane, A. Alikacem and M. Larzillière 211 (1996) 393
- small polyatomics*
- Transport coefficients for NO^+ ions in helium gas: a test of the $NO^+ - He$ interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. MacLagan 211 (1996) 1
- Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17
- Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2 , C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
- Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
- Multiple absorption and relaxation processes in $SF_6 - CH_4$ mixtures: an experimental study, J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 211 (1996) 347
- Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm, K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 211 (1996) 387
- Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515
- aromatics*
- Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
- Spin-orbit effects in fullerenes, F.J. Adrian 211 (1996) 73
- Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2 , C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
- The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413
- Single molecule polarization spectroscopy: pentacene in *p*-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

- Higher excited-state triplet-singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431
- other large*
- Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489
- polymeric and biological*
- Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives, A. Broo and A. Holmén 211 (1996) 147
- Molecular aggregates*
- The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
- Relaxation and trapping of excitons in J-aggregates of a thiocarbocynine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auwerter and A.G. Vitukhnovsky 211 (1996) 455
- van der Waals molecules*
- Ab initio calculation of three-body interaction in the $(H_2)_3$ trimer, P. Wind and I. Røeggen 211 (1996) 179
- Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra, J. Koperski 211 (1996) 191
- Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249
- clusters*
- Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9 , J. Szczepanski, S. Ekern, C. Chapo and M. Vala 211 (1996) 359
- Photophysics and photochemistry of I_2 (D, D') in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377
- Solvent effects on sol-gel transition of alginate solutions by addition of cupric ions, H. Zheng, K. Jiang, Q. Zhang and J. Wang 211 (1996) 507
- Free radicals (including hydronium and muonium)*
- Experimental and theoretical study of the recombination reaction of $FC(O)O$ radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
- Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation, J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 211 (1996) 235
- Ions and charge carriers*
- A Kramers reaction rate theory for electrochemical ion transfer reactions, M.T.M. Koper and W. Schmickler 211 (1996) 123
- Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469

Phenomena

Molecular structure

- Spin-orbit effects in fullerenes, F.J. Adrian 211 (1996) 73
- Ab initio calculations of the rovibrational states of He_2N^{2+} , J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
- Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives, A. Broo and A. Holmén 211 (1996) 147
- The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163
- Potential energy curve of the $\text{XO}^+(^1\Sigma^+)$ ground state of HgAr determined from $\text{AO}^+(^3\Pi) \rightarrow \text{XO}^+$ and $\text{B1}(^3\Sigma^+) \rightarrow \text{XO}^+$ fluorescence spectra, J. Koperski 211 (1996) 191

Vibrations and rotations of molecules

- Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17
- Ab initio calculations of the rovibrational states of He_2N^{2+} , J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
- An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to $\text{He} + \text{CO}$ ($n_i = 1, 2$), N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 211 (1996) 277
- Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9 , J. Szczepanski, S. Ekern, C. Chapo and M. Vala 211 (1996) 359
- Fast-ion beam laser spectroscopy of $^{14}\text{N}_2^+$ and $^{15}\text{N}_2^+$: high-resolution study of the (1, 2) band of the $\text{B } ^2\Sigma_u^+ - \text{X } ^2\Sigma_g^+$ system, K. Boudjarane, A. Alikacem and M. Larzillière 211 (1996) 393

Electronic structure and states

- Correlated electronic potential-energy surfaces for proton interactions with N_2 , F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33
- Pressure effects on the $\text{Cl}_2(\text{D}'-\text{A}')$ transition at 258 nm, J.B. Nee and S. Hubinger 211 (1996) 403
- Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

Electric and magnetic properties

- Spin-orbit effects in fullerenes, F.J. Adrian 211 (1996) 73

Molecular interactions

- Ab initio calculation of three-body interaction in the $(\text{H}_2)_3$ trimer, P. Wind and I. Røeggen 211 (1996) 179
- Generalized oscillator strengths for SF_6 in the S 2p inner-shell region, Z. Felfli, I. Fomunung, D. Bessis and A.Z. Msezane 211 (1996) 325
- Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal, R. Tarroni and C. Zannoni 211 (1996) 337
- Photophysics and photochemistry of I_2 (D, D') in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377

Spectral bandshapes and intensities

- Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory, H.K. McDowell and A.M. Clogston 211 (1996) 91
- Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm, K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 211 (1996) 387

Coupling of electronic and nuclear motion

- Stochastic wave packet vs. direct density matrix solution of Liouville-von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265
- An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291
- Relaxation and trapping of excitons in J-aggregates of a thiocarbocynine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455

Energy transfer processes

- Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17
- Correlated electronic potential-energy surfaces for proton interactions with N₂, F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33
- The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
- An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to He + CO ($n_i = 1, 2$), N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 211 (1996) 277
- Translational spectroscopy of H⁻ produced by collision induced dissociation of H₃⁺ on He, H. Martinez and A. Amaya-Tapia 211 (1996) 299

Molecular photophysical processes

- Higher excited-state triplet-singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431

Intramolecular dynamics

- Molecular dynamics simulations of cis-trans isomerization for a proline-containing tripeptide in solution, S.Z. Wan, C.X. Wang, Y.W. Xu and Y.Y. Shi 211 (1996) 227
- Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249

-radiationless transitions

- Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249

Luminescence spectra, yields and lifetimes

- The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413
- Photophysics of 4-dimethylamino-4'-cyanostilbene and 4-azetidiny-4'-cyanostilbene. Time-resolved fluorescence and trans-cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441

Non-linear responses (including optical)

- Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2 , C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
- Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandraiah and P.K. Das 211 (1996) 499

Reactions (including dissociation)

- Experimental and theoretical study of the recombination reaction of $FC(O)O$ radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
- Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305

-gas phase

- Experimental and theoretical study of the recombination reaction of $FC(O)O$ radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
- Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
- Pressure effects on the $Cl_2(D'-A')$ transition at 258 nm, J.B. Nee and S. Hubinger 211 (1996) 403
- Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515

-condensed phase

- A Kramers reaction rate theory for electrochemical ion transfer reactions, M.T.M. Koper and W. Schmickler 211 (1996) 123
- Isotope effects in the photochemical formation of $HHgCH_3$ and $DHgCD_3$ in nitrogen and methane matrices, N. Legay-Sommaire and F. Legay 211 (1996) 367
- Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandraiah and P.K. Das 211 (1996) 499

-photochemical

- Photophysics and photochemistry of I_2 (D , D') in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377
- Photophysics of 4-dimethylamino-4'-cyanostilbene and 4-azetidiny-4'-cyanostilbene. Time-resolved fluorescence and trans-cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441
- Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469
- Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515

Electron transfer

- Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
- A Kramers reaction rate theory for electrochemical ion transfer reactions, M.T.M. Koper and W. Schmickler 211 (1996) 123

Ionization (including Rydberg states)

- The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163
- Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469

Molecular motion (including diffusive)

- Monte Carlo simulation studies on the validity of the Gram-Charlier calculations of velocity distributions of Na^+ swarm in neon gas, P.P. Ong and M.-M. Li 211 (1996) 115
- Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation, J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 211 (1996) 235
- Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489

Isotopic effects

- Isotope effects in the photochemical formation of HHgCH_3 and DHgCD_3 in nitrogen and methane matrices, N. Legay-Sommaire and F. Legay 211 (1996) 367

Collective motion and excitations

- Relaxation and trapping of excitons in J-aggregates of a thiacyanocarbonyl dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455

Surface effects and catalysis

- Stochastic wave packet vs. direct density matrix solution of Liouville-von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265

Thermodynamic and transport properties

- Transport coefficients for NO^+ ions in helium gas: a test of the NO^+ -He interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. MacLagan 211 (1996) 1
- Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory, H.K. McDowell and A.M. Clogston 211 (1996) 91
- Monte Carlo simulation studies on the validity of the Gram-Charlier calculations of velocity distributions of Na^+ swarm in neon gas, P.P. Ong and M.-M. Li 211 (1996) 115
- The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163

Structure of solids and liquids

- Al,Si ordering in chabazites: A Monte Carlo study, M.C. Gordillo and C.P. Herrero 211 (1996) 81
- A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia, T. Kercharoen, K.R. Liedl and B.M. Rode 211 (1996) 313
- Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

Phase transitions

- The Neel point for spin-transition systems: toward a two-step transition, H. Bolvin 211 (1996) 101
- Solvent effects on sol-gel transition of alginate solutions by addition of cupric ions, H. Zheng, K. Jiang, Q. Zhang and J. Wang 211 (1996) 507

